

# **EC Safety Data Sheet**

# 1K Hand held grade

valid for PU Foams

This document is for informational use only and does not underly the actualization process. This document can not be used for advertising or other purposes unless otherwise approved by MÜPRO in advance. All rights reserved. Subject to change.

GF

Printing date 05.03.2009

Revision: 18.02.2009

## 1 Identification of the substance/preparation and of the company/undertaking

#### · Product details

- · Trade name: PU-Cleaner
- · Article number: 5310001-5310099
- · Application of the substance / the preparation Cleaning material/ Detergent

• Manufacturer/Supplier: DEN BRAVEN AEROSOLS GmbH & Co. KG Giebelstadter Weg 16 D-97234 Albertshausen Tel.: +49 (0) 9366/9071-0 Fax.: +49 (0) 09366/9071-22

DEN BRAVEN Belgium sa Avenue de la Forêt de Soignes 327 B-1640 Rhode-Saint-Genèse Tel: +32 (0) 2 358 35 56 Fax: +32 (0) 2 358 12 70 www.denbraven.be

• Further information obtainable from: zwaluw@denbraven.be\_\_

· Information in case of emergency: Antipoisoncenter 070 245 245

## 2 Hazards identification

### · Hazard description:



Xi Irritant F+ Extremely flammable

#### · Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

## At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

R 12 Extremely flammable.

R 36 Irritating to eyes.

R 66 Repeated exposure may cause skin dryness or cracking.

R 67 Vapours may cause drowsiness and dizziness.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking.

Buildup of explosive mixtures possible without sufficient ventilation.

Keep out of the reach of children

## Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

## **3** Composition/information on ingredients

#### · Chemical characterization

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 67-64-1 EINECS: 200-662-2	acetone	X Xi, 👩 F; R 11-36-66-67	50-100%
CAS: 75-28-5 EINECS: 200-857-2	isobutane	• F+; R 12	2.5-10%
CAS: 124-38-9 EINECS: 204-696-9	carbon dioxide		2.5-10%
(Contd. on page 2)			

Printing date 05.03.2009

Revision: 18.02.2009

Trade name: PU-Cleaner

 CAS: 74-98-6
 propane
 (Contd. of page 1)

 EINECS: 200-827-9
 P
 <2.5%</td>

 • Regulation (EC) No 648/2004 on detergents / Labelling for contents
 <2.5%</td>

 aliphatic hydrocarbons
 5 - 15%

• Additional information: For the wording of the listed risk phrases refer to section 16.

# 4 First aid measures

#### · After inhalation:

Supply fresh air; consult doctor in case of complaints. Take affected persons into fresh air and keep quiet.

- After skin contact:
- Immediately wash with water and soap and rinse thoroughly. Immediately remove any clothing soiled by the product.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.

# 5 Fire-fighting measures

- · Suitable extinguishing agents:
- Foam

Fire-extinguishing powder

- Carbon dioxide
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards caused by the substance, its products of combustion or resulting gases:
- Can form explosive gas-air mixtures.
- Formation of toxic gases is possible during heating or in case of fire.
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information
- Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## 6 Accidental release measures

- · Person-related safety precautions:
- Wear protective equipment. Keep unprotected persons away.
- Ensure adequate ventilation
- Keep away from ignition sources.
- Measures for environmental protection:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· Additional information: See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Information for safe handling:
- Ensure good ventilation/exhaustion at the workplace. Avoid contact with skin and eyes.

(Contd. on page 3)

GB

Printing date 05.03.2009

Revision: 18.02.2009

(Contd. of page 2)

#### Trade name: PU-Cleaner

- · Information about fire and explosion protection:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

· Storage:

- · Requirements to be met by storerooms and receptacles:
- Store in a cool location.
- Observe official regulations on storing packagings with pressurized containers.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from heat and direct sunlight.

## 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

#### 67-64-1 acetone

WEL Short-term value: 3620 mg/m<sup>3</sup>, 1500 ppm

Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm

#### 124-38-9 carbon dioxide

WEL Short-term value: 27400 mg/m<sup>3</sup>, 15000 ppm

Long-term value: 9150 mg/m<sup>3</sup>, 5000 ppm

• Additional information: The lists valid during the making were used as basis.

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.


Use suitable respiratory protective device in case of insufficient ventilation.

- Recommended filter device for short term use: Filter AX
- Protection of hands:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

- Recommended thickness of the material:  $\geq 0.5$  mm
- · Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- >240 min
- Eye protection:



(Contd. on page 4)

GB

Printing date 05.03.2009

Revision: 18.02.2009

(Contd. of page 3)

Trade name: PU-Cleaner

• **Body protection:** Protective work clothing

· General Information	
Form:	Aerosol
Colour:	Colourless
Odour:	Acetone-like
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Not applicable, as aerosol.
· Flash point:	Not applicable, as aerosol.
· Ignition temperature:	>200°C
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Density at 20°C:	0.7813 g/cm <sup>3</sup>
· Solubility in / Miscibility with	
water:	Fully miscible.
Organic solvents:	96.2 %

## **10 Stability and reactivity**

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Dangerous reactions No dangerous reactions known.

 $\cdot \textit{Dangerous decomposition products: } Carbon \ monoxide \ and \ carbon \ dioxide$ 

## **11 Toxicological information**

#### · Acute toxicity:

· LD/LC50 values relevant for classification:

#### 67-64-1 acetone

Oral LD50 5800 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

Vapours have narcotic effect.

# **12** Ecological information

#### · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 5)

Printing date 05.03.2009

Revision: 18.02.2009

## Trade name: PU-Cleaner

(Contd. of page 4)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **13 Disposal considerations**

#### · Product:

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

### · European waste catalogue

16 05 04 gases in pressure containers (including halons) containing dangerous substances

15 01 04 metallic packaging

#### · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

## **14 Transport information**

· Land transport ADR/RID (cross-border)



· ADR/RID class:25F Gases.· Danger code (Kemler):23· UN-Number:1950· Packaging group:-· Hazard label:2.1· Description of goods:1950 AEROSOLS

· Maritime transport IMDG:



· IMDG Class:	2.1
· UN Number:	1950
· Label	2.1
· Packaging group:	-
· EMS Number:	F- $D$ , $S$ - $U$
· Marine pollutant:	No
· Proper shipping name:	AEROSOLS

· Air transport ICAO-TI and IATA-DGR:



 · ICAO/IATA Class:
 2.1

 · UN/ID Number:
 1950

 · Label
 2.1

 · Packaging group:

 · Proper shipping name: AEROSOLS, flammable

(Contd. on page 6)

Printing date 05.03.2009

Revision: 18.02.2009

Trade name: PU-Cleaner

(Contd. of page 5)

GE

# **15 Regulatory information**

#### · Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

#### · Code letter and hazard designation of product:



Xi Irritant F+ Extremely flammable

#### · Risk phrases:

- 12 Extremely flammable.
- 36 Irritating to eyes.
- 66 Repeated exposure may cause skin dryness or cracking.
- 67 Vapours may cause drowsiness and dizziness.

#### · Safety phrases:

- 23 Do not breathe aerosol.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 51 Use only in well-ventilated areas.
- 56 Dispose of this material and its container to hazardous or special waste collection point.

#### · Special labelling of certain preparations:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking.

Buildup of explosive mixtures possible without sufficient ventilation. Keep out of the reach of children

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant R-phrases

- 11 Highly flammable.
- 12 Extremely flammable.
- 36 Irritating to eyes.
- 66 Repeated exposure may cause skin dryness or cracking.
- 67 Vapours may cause drowsiness and dizziness.
- $\cdot$  \* Data compared to the previous version altered.